

To: Matt Francis[m.francis@erllc.com]
From: Way, Steven
Sent: Mon 6/29/2015 1:36:44 PM
Subject: RE: Red and Bonita Inspection, Design Mods and Access Meeting

Matt,

I spoke with Mace Pemberton about the road and tree we need to remove. He is okay with the tree removal, and wants it to be left long enough to use to re-hab the snow-slide splitter up the road. So, I told him we would drag the trunk up to that location. If we cut it, we need to check the length of the logs used at the existing "splitter" structure immediately above his home site.

Steve

Steven Way

Federal On-Scene Coordinator

Emergency Response Unit

US EPA - Region 8

1595 Wynkoop Street

Denver, CO 80202

Office: 303-312-6723

From: Matt Francis [mailto:m.francis@erllc.com]
Sent: Monday, June 29, 2015 7:04 AM
To: Mark Levin
Cc: Way, Steven; Allen.Sorenson@state.co.us; Petri, Elliott
Subject: Red and Bonita Inspection, Design Mods and Access Meeting

Mark

Attached is EPA's summary capturing what was discussed during the site inspection on June 25 2015. This also includes a response to your comments about site access.

Matt Francis

Environmental Restoration, LLC

303.994.6611

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.